

FIG. 1




FIG. 2




FIG. 3




FIG. 4 a

304




FIG. 4 b




FIG. 4 c



FIG. 5





FIG. 6






FIG. 7 b




FIG. 7 d




FIG. 7 c




FIG. 8 b

FIG. 8 a



FIG. 9






FIG. 10



Variable	Mean	Standard deviation	Minimum	Maximum	Skewness	Kurtosis	Normality test
Age	34.5	10.2	20	55	-0.1	3.2	0.95
Gender	0.5	0.5	0	1	0.0	3.0	0.98
Marital status	0.7	0.4	0	1	0.1	3.1	0.96
Education	12.5	2.5	9	16	-0.2	3.3	0.94
Income	1500	500	500	3000	0.3	3.4	0.92
Health	0.8	0.3	0	1	0.2	3.2	0.97
Stress	4.5	1.5	1	7	-0.1	3.1	0.95
Life satisfaction	5.5	1.0	1	7	0.0	3.0	0.98
Work satisfaction	4.0	1.2	1	7	-0.1	3.2	0.96
Family satisfaction	5.0	1.1	1	7	0.0	3.1	0.97
Community satisfaction	4.5	1.3	1	7	-0.1	3.3	0.94
Overall satisfaction	4.8	1.2	1	7	-0.1	3.2	0.96



DIRECTION IN  
WHICH FORWARD  
REPRODUCING  
DATA IS READ OUT

FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17 a




FIG. 17 b




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




Diagram illustrating the recording period and program switching:

- The recording period is defined by a horizontal line with arrows at both ends, labeled "RECORDING PERIOD".
- Two program segments are shown within this period:

  - Segment 1:** Labeled "PAT1 PMT1", it contains "Video1/Audio1".
  - Segment 2:** Labeled "PAT2 PMT2", it contains "Video2/Audio2".

- An arrow points to the transition between the two segments, labeled "PROGRAMS ARE SWITCHED (PSI IS CHANGED)".
- Ellipses (...) indicate that there can be multiple programs in each PMT and that the sequence can continue.

[illegible]



FIG. 25

